

Samurai Doorless Mirror and Light Mounts, Kit SEB-LR-DMB

Installation Instructions



NOTICE

Read instructions completely before installing this product. Refer back to the instructions frequently during installation.



CAUTION

Flying Object Hazard.
Fluid Splash Hazard.
Wear safety glasses at all times when working on vehicle.



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Step 1

If you plan on installing a light using the front mounting hole of the mirror bracket first ensure that the mounting hole is large enough to accommodate the light's mounting hardware. If the hole is too small, drill out the hole to the appropriate diameter.

Step 2

If equipped, snap the side view mirror cover loose using a screw driver inserted at the top of the cover. Remove the (3) phillips screws that hold the mirror to the door. If desired, reinstall the (3) phillips screws into the door.



Step 3

Position the mounting bracket on the front of the windshield as shown. Insert (1) of the self-drilling screws into the upper middle mounting hole. Using a drill install the mounting screw.



Step 4

Ensure that the bracket is level and install the (2) remaining self-drilling screws into the windshield as shown.



Step 5

Using the provided bolts and flat washers install the side view mirror onto the end of the mounting bracket.



Step 6

If desired, install a light through the front mounting hole of the bracket.



Step 7

Repeat the process on the other side of the vehicle.